

10577470mm/dd/yyyy>

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1626KAS

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 AUG 10 Time limit for inactive STN sessions doubles to 40  
minutes  
NEWS 3 AUG 18 COMPENDEX indexing changed for the Corporate Source  
(CS) field  
NEWS 4 AUG 24 ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced  
NEWS 5 AUG 24 CA/CAPLUS enhanced with legal status information for  
U.S. patents  
NEWS 6 SEP 09 50 Millionth Unique Chemical Substance Recorded in  
CAS REGISTRY  
NEWS 7 SEP 11 WPIDS, WPINDEX, and WPIX now include Japanese FTERM  
thesaurus  
NEWS 8 OCT 21 Derwent World Patents Index Coverage of Indian and  
Taiwanese Content Expanded  
NEWS 9 OCT 21 Derwent World Patents Index enhanced with human  
translated claims for Chinese Applications and  
Utility Models  
NEWS 10 OCT 27 Free display of legal status information in CA/CAPLUS,  
USPATFULL, and USPAT2 in the month of November.

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 10:26:34 ON 22 NOV 2009

=> file reg

10577470mm/dd/yyyy>

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 10:26:41 ON 22 NOV 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 NOV 2009 HIGHEST RN 1193036-95-1  
DICTIONARY FILE UPDATES: 20 NOV 2009 HIGHEST RN 1193036-95-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\105774706.str



chain nodes :  
12 13  
ring nodes :  
1 2 3 4 5 6 7 8 9 10 11  
chain bonds :  
2-7 8-12 10-13  
ring bonds :  
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-11 8-9 9-10 10-11  
exact/norm bonds :  
2-7 7-8 7-11 8-12 10-11 10-13  
exact bonds :  
8-9 9-10  
normalized bonds :  
1-2 1-6 2-3 3-4 4-5 5-6  
isolated ring systems :

10577470mm/dd/yyyy>

containing 1 : 7 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom

11:Atom 12:CLASS 13:Atom

Generic attributes :

13:


Saturation : Unsaturated

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 10:26:58 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 10487 TO ITERATE

19.1% PROCESSED 2000 ITERATIONS

5 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 203602 TO 215878



PROJECTED ANSWERS: 217 TO 831

L2 5 SEA SSS SAM L1

=>

Uploading C:\Program Files\Stnexp\Queries\105774707.str

10577470mm/dd/yyyy>




```
chain nodes :
12 13 15 16 17
ring nodes :
1 2 3 4 5 6 7 8 9 10 11
chain bonds :
2-7 8-12 10-13 15-16 15-17
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-11 8-9 9-10 10-11
exact/norm bonds :
2-7 7-8 7-11 8-12 10-11 10-13 15-16 15-17
exact bonds :
8-9 9-10
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 : 7 :
```

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:CLASS 13:Atom 15:CLASS 16:CLASS 17:CLASS 18:Atom
Generic attributes :
13:
Saturation : Unsaturated
```

L3 STRUCTURE UPLOADED

```
=> d
L3 HAS NO ANSWERS
L3 STR
```

10577470mm/dd/yyyy>



Structure attributes must be viewed using STN Express query preparation.

=> s l3

SAMPLE SEARCH INITIATED 10:29:13 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 10487 TO ITERATE

19.1% PROCESSED 2000 ITERATIONS 2 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 203602 TO 215878  
PROJECTED ANSWERS: 15 TO 403

L4 2 SEA SSS SAM L3

=> s l3 full

FULL SEARCH INITIATED 10:29:24 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 210525 TO ITERATE

100.0% PROCESSED 210525 ITERATIONS 40 ANSWERS  
SEARCH TIME: 00.00.04

L5 40 SEA SSS FUL L3

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	187.80	188.02

FILE 'CAPLUS' ENTERED AT 10:29:34 ON 22 NOV 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

10577470mm/dd/yyyy>

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Nov 2009 VOL 151 ISS 22  
FILE LAST UPDATED: 20 Nov 2009 (20091120/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Aug 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Aug 2009

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

During November, try the new LSUS format of legal status information in the CA/CAPLUS family databases for free! Complete details on the number of free displays and other databases participating in this offer appear in NEWS 10.


=> s 15

L6                    2 L5

=> d ibib abs hitstr tot


10577470mm/dd/yyyy>

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN  
ACCESSION NUMBER: 2008:632975 CAPLUS  
DOCUMENT NUMBER: 150:237493  
TITLE: Synthesis and biological evaluation of novel  
2,4,5-triaryl-1H-pyrazol-3(2H)-ones as inhibitors of  
ALK5  
AUTHOR(S): Li, Xing Zhou; Dai, Xian Ping; Lai, Kang Ying; Wang,  
Li Li; Zheng, Zhi Bing; Li, Song  
CORPORATE SOURCE: Beijing Institute of Pharmacology and Toxicology,  
Beijing, 100850, Peop. Rep. China  
SOURCE: Chinese Chemical Letters (2008), 19(4), 379-382  
CODEN: CCLEE7; ISSN: 1001-8417  
PUBLISHER: Elsevier B.V.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
OTHER SOURCE(S): CASREACT 150:237493  
AB A series of 2,4,5-triaryl substituted 1H-pyrazol-3(2H)-ones, as  
activin-like kinase 5 (ALK5) inhibitors, were designed, synthesized and  
evaluated in vitro. Most compds. exhibited noticeable ALK5 inhibition  
activity at 1  $\mu$ mol/L and displayed no cytotoxicity at 30  $\mu$ mol/L.  
IT 1116051-31-0P 1116051-33-2P 1116051-35-4P  
1116051-37-6P 1116051-39-8P 1116051-41-2P  
1116051-43-4P  
RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological  
activity); SPN (Synthetic preparation); BIOL (Biological study); PREP  
(Preparation)  
(preparation, cytotoxicity, and activin-like kinase 5 inhibition of  
arylpyrazolones)  
RN 1116051-31-0 CAPLUS  
CN Benzamide, 4-[3-(1,3-benzodioxol-5-yl)-2,5-dihydro-4-(6-methyl-2-  
pyridinyl)-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 1116051-33-2 CAPLUS  
CN Benzamide, 4-[3-(1,3-benzodioxol-5-yl)-2,5-dihydro-4-(6-methyl-2-  
pyridinyl)-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)  
RN 1116051-39-8 CAPLUS  
CN Benzamide, 4-[4-(2-fluorophenyl)-3-(4-fluorophenyl)-2,5-dihydro-5-oxo-1H-  
pyrazol-1-yl]- (CA INDEX NAME)




RN 1116051-41-2 CAPLUS  
CN Benzamide, 4-[4-(1,3-benzodioxol-5-yl)-3-(2-fluorophenyl)-2,5-dihydro-5-  
oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 1116051-43-4 CAPLUS  
CN Benzamide, 4-[3-(2-fluorophenyl)-4-(4-fluorophenyl)-2,5-dihydro-5-oxo-1H-  
pyrazol-1-yl]- (CA INDEX NAME)


L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)




RN 1116051-35-4 CAPLUS  
CN Benzamide,  
4-[3-(3,4-dimethoxyphenyl)-2,5-dihydro-4-(6-methyl-2-pyridinyl)-  
5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)



RN 1116051-37-6 CAPLUS  
CN Benzamide,  
4-[4-(2-fluorophenyl)-2,5-dihydro-3-(4-methoxyphenyl)-5-oxo-1H-  
pyrazol-1-yl]- (CA INDEX NAME)



L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS  
RECORD  
REFERENCE COUNT: 8 (1 CITINGS)  
THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE  
FORMAT

10577470mm/dd/yyyy>

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN  
ACCESSION NUMBER: 2005:451190 CAPLUS  
DOCUMENT NUMBER: 143:7704  
TITLE: Preparation of immuno inhibitory pyrazolone compounds  
INVENTOR(S): Matthews, Ian Richard  
PATENT ASSIGNEE(S): Avidex Limited, UK  
SOURCE: PCT Int. Appl., 38 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005046679	A1	20050526	WO 2004-GB4629	20041102
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LR, LS, LT, LU, LV, MA, MD, ME, MG, MN, MW, MX, MY, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SV, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1703906	A1	20060927	EP 2004-798360	20041102
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
US 20070213345	A1	20070913	US 2006-577470	20060427
PRIORITY APPLN. INFO.:			GB 2003-25644	A 20031104
			WO 2004-GB4629	W 20041102

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT  
OTHER SOURCE(S): CASREACT 143:7704; MARPAT 143:7704  
GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*


AB The title comps. I or II (Ar = (un)substituted monocyclic or bicyclic aromatic or heteroarom. group having from 5 to 10 ring atoms; R1, R2 = H, alkyl; R3 = H, F, Cl, Br, NO2, etc.; R4 = carboxylic acid group (CO2H) or an ester thereof, or CONR6R7, etc. (wherein R6 = H, (Alk)mQ; m = 0-1; Alk = (un)substituted divalent alkylene, alkenylene, alkynylene or a divalent carbocyclic radical, any of which radicals may be interrupted by one or more O, S or N(R8) radicals; R8 = H, alkyl, alkenyl, alkynyl, cycloalkyl; Q = H, CF3, OH, SH, etc.; R7 = H, alkyl; or NR6R7 = monocyclic heterocyclic ring having 5-7 ring atoms); X = a bond or a divalent radical  
(Z)n(Alk) or (Alk)(Z)n (wherein Z = O, S or NH; Alk = is as defined in

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)  
relation to R6; n = 0-1] which are inhibitors of CD80 useful in immunomodulation therapy, were prepd. E.g., a multi-step synthesis of III, starting from 4-hydrazinobenzoic acid, was given. The exemplified compds. I and II were tested in a cell free Homogenous Time Resolved Fluorescence (HTRF) assay to det. their activity as inhibitors af the CD80-CD28 interaction (data ere given for over 30 title compds.). The pharmaceutical compn. comprising the compd. I or II is disclosed.  
IT 852286-65-8P 852286-66-9P 852286-67-0P  
852286-69-2P 852286-70-5P 852286-71-6P  
852286-72-7P 852286-73-8P 852286-74-9P  
852286-75-0P 852286-76-1P 852286-77-2P  
852286-78-3P 852286-79-4P 852286-80-7P  
852286-81-8P 852286-82-9P 852286-83-0P  
852286-84-1P 852286-85-2P 852286-86-3P  
852286-87-4P 852286-88-5P 852286-89-6P  
852286-90-9P 852286-91-0P 852286-92-1P  
852286-93-2P 852286-94-3P 852286-95-4P  
852286-96-5P 852286-97-6P 852286-98-7P  
RI: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of pyrazolones as CD80/CD28 interaction inhibitors)  
RN 852286-65-8 CAPLUS  
CN Benzamide, 4-[2,5-dihydro-5-oxo-3-(2-pyrazinyl)-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)




RN 852286-66-9 CAPLUS  
CN Benzamide, 4-[2,5-dihydro-3-(5-isoxazolyl)-5-oxo-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-67-0 CAPLUS  
CN Benzamide, 4-[3-(2-furanyl)-2,5-dihydro-4-methyl-5-oxo-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)




RN 852286-69-2 CAPLUS  
CN Benzamide, 4-(2,5-dihydro-5-oxo-3-phenyl-1H-pyrazol-1-yl)-N-[3-(dimethylamino)propyl]- (CA INDEX NAME)




RN 852286-70-5 CAPLUS  
CN Benzamide, 4-(2,5-dihydro-5-oxo-3-phenyl-1H-pyrazol-1-yl)-N-[2-[4-(phenylmethyl)-1-piperazinyl]ethyl]- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-71-6 CAPLUS  
CN Benzamide, 4-(2,5-dihydro-5-oxo-3-phenyl-1H-pyrazol-1-yl)-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)




RN 852286-72-7 CAPLUS  
CN Benzamide, 4-(2,5-dihydro-5-oxo-3-phenyl-1H-pyrazol-1-yl)-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)




RN 852286-73-8 CAPLUS  
CN Benzamide, N-[3-(cyclohexylamino)propyl]-4-(2,5-dihydro-5-oxo-3-phenyl-1H-pyrazol-1-yl)- (CA INDEX NAME)

10577470mm/dd/yyyy>


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-74-9 CAPLUS  
CN Benzanide, 4-[2,5-dihydro-5-oxo-3-(2-pyridinyl)-1H-pyrazol-1-yl]-N-[3-(dimethylamino)propyl]- (CA INDEX NAME)




RN 852286-75-0 CAPLUS  
CN Benzanide, N-[3-(dimethylamino)propyl]-4-[3-(2-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-76-1 CAPLUS  
CN Benzanide, 4-[2,5-dihydro-5-oxo-3-(3-pyridinyl)-1H-pyrazol-1-yl]-N-[3-(dimethylamino)propyl]- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-80-7 CAPLUS  
CN Benzanide, 4-[2,5-dihydro-5-oxo-3-(2-pyridinyl)-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)




RN 852286-81-8 CAPLUS  
CN Benzanide, N-[3-(dimethylamino)propyl]-4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-82-9 CAPLUS  
CN Benzanide, N-[3-(cyclohexylamino)propyl]-4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-77-2 CAPLUS  
CN Benzanide, N-[3-(cyclohexylamino)propyl]-4-[2,5-dihydro-5-oxo-3-(2-pyridinyl)-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-78-3 CAPLUS  
CN Benzanide, N-[3-(cyclohexylamino)propyl]-4-[3-(2-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-79-4 CAPLUS  
CN Benzanide, N-[3-(cyclohexylamino)propyl]-4-[2,5-dihydro-5-oxo-3-(3-pyridinyl)-1H-pyrazol-1-yl]- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)




RN 852286-83-0 CAPLUS  
CN Benzanide, 4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)



RN 852286-84-1 CAPLUS  
CN Benzanide, 4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-85-2 CAPLUS  
CN Benzanide, 4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)




10577470mm/dd/yyyy>


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)  
 RN 852286-86-3 CAPLUS  
 CN Benzamide, 4-[3-(3-furanyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)



RN 852286-87-4 CAPLUS  
 CN Benzamide, 4-[2,5-dihydro-5-oxo-3-(3-pyridinyl)-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)




RN 852286-88-5 CAPLUS  
 CN Benzamide, 4-[2,5-dihydro-5-oxo-3-(2-pyridinyl)-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)




RN 852286-89-6 CAPLUS  
 CN Benzamide, 4-[2,5-dihydro-5-oxo-3-(3-pyridinyl)-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)


L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)




RN 852286-93-2 CAPLUS  
 CN Benzamide, 4-[2,5-dihydro-5-oxo-3-(2-pyrazinyl)-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)




RN 852286-94-3 CAPLUS  
 CN Benzamide, 4-[3-(2-benzofuranyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[3-(dimethylamino)propyl]- (CA INDEX NAME)




RN 852286-95-4 CAPLUS  
 CN Benzamide, 4-[3-(2-benzofuranyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[4-(1-pyrrolidinyl)butyl]- (CA INDEX NAME)




L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)



RN 852286-90-9 CAPLUS  
 CN Benzamide, N-[3-(dimethylamino)propyl]-4-[3-(3-fluorophenyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-91-0 CAPLUS  
 CN Benzamide, N-[3-(cyclohexylamino)propyl]-4-[3-(3-fluorophenyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]- (CA INDEX NAME)




RN 852286-92-1 CAPLUS  
 CN Benzamide, 4-[3-(3-fluorophenyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)


RN 852286-96-5 CAPLUS  
 CN Benzamide, 4-[3-(2-benzofuranyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[3-(dimethylamino)propyl]- (CA INDEX NAME)



RN 852286-97-6 CAPLUS  
 CN Benzamide, 4-[3-(2-benzofuranyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-[3-(cyclohexylamino)propyl]- (CA INDEX NAME)



RN 852286-98-7 CAPLUS  
 CN Benzamide, 4-[3-(2-benzofuranyl)-2,5-dihydro-5-oxo-1H-pyrazol-1-yl]-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD  
 (1 CITINGS)  
 REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT

10577470mm/dd/yyyy>

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN (Continued)

10577470mm/dd/yyyy>

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	11.78	199.80

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.64	-1.64

STN INTERNATIONAL LOGOFF AT 10:30:14 ON 22 NOV 2009